

SAFETY DATA SHEET

1. Product and company identification

Product name Couplant D
Product code D-12 u8770026

Supplier Evident Australia PTY LTD

Address Level 4, 97 Waterloo Road, Macquarie Park NSW 2113 Australia

Telephone +1800-844-211

FAX

e-mail

Emergency telephone

number

CHEMTRECUS: 1-800-424-9300, International: +1 703-527-3887

Emergency Tel: 13 11 26 (Poison Information Centre)

Recommended use and Limitations on use Recommended use Couplant.

2. Hazards identification

GHS classification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

Label elements

Symbols None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

3. Composition/information on ingredients

Substance or mixture Mixture

Chemical property	CAS Number	Concentration (%)
Propylene glycol	57-55-6	<35
Sodium molybdate	7631-95-0	<2

4. First aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

IngestionRinse mouth. Get medical attention if symptoms occur.Potential delayed effectsDirect contact with eyes may cause temporary irritation.

Personal protection for first-aid

responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Notes to physician Treat symptomatically.

5. Fire-fighting measures

Extinguishing mediaUse fire-extinguishing media appropriate for surrounding materials.

Extinguishing media to avoid None known.

HAZCHEM Code Number None

Specific hazards during fire During fire, gases hazardous to health may be formed.

fighting

Couplant D SDS New Zealand

931736 Version #: 02 Revision date: 22-November-2022 Issue date: 19-January-2016

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Protection of fire-fighters

Hazards from combustion

products

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

None.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid prolonged exposure. Keep unnecessary personnel away. In case of spills, beware of

slippery floors and surfaces. For personal protection, see section 8.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Spill cleanup methods Sweep or scoop up and remove. Wipe up with absorbent material (e.g. cloth, fleece). After

cleaning, flush away traces with water. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Handling

Avoid prolonged exposure. It is a good industrial hygiene practice to minimise skin contact. Use **Precautions**

personal protection recommended in Section 8 of the SDS.

Safe handling advice

Observe good industrial hygiene practices.

Prevention of fire and

explosion

No specific recommendations.

Local and general

ventilation

Provide adequate ventilation.

Storage

Suitable storage conditions

Store away from incompatible materials (see Section 10 of the SDS).

Incompatible materials Strong oxidising agents.

Store in original tightly closed container. Safe packaging materials

8. Exposure controls/personal protection

Workplace exposure limits

New Zealand. WES. (Workplace Exposure Standards)

Components	Туре	Value	Form
Propylene glycol (CAS 57-55-6)	TWA	474 mg/m3	Vapor and particulates.
		10 mg/m3 150 ppm	Particulate. Vapor and particulates.
Sodium molybdate (CAS 7631-95-0)	TWA	5 mg/m3	vapor and particulates.

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Sodium molybdate (CAS	TWA	0.5 mg/m3	Respirable fraction.
7631-95-0)			

UK. EH40 Workplace Exposure Limits (WELs)

Components	Туре	Value	Form
Propylene glycol (CAS 57-55-6)	TWA	474 mg/m3	Total vapour and particulates.
,		10 mg/m3	Particulate.
		150 ppm	Total vapour and particulates.
Sodium molybdate (CAS 7631-95-0)	STEL	10 mg/m3	•
7001 00 0)	TWA	5 mg/m3	

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Туре	Value	Form
Propylene glycol (CAS 57-55-6)	TWA	474 mg/m3	Total vapour and particulates.
		10 mg/m3	Particulate.

Couplant D SDS New Zealand

Components	Туре	Value	Form
		150 ppm	Total vapour and particulates.
Sodium molybdate (CAS 7631-95-0)	TWA	5 mg/m3	

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational **Environment)**

Components	Туре	Value	Form
Propylene glycol (CAS 57-55-6)	TWA	474 mg/m3	Total vapour and particulates.
		10 mg/m3	Particulate.
		150 ppm	Total vapour and particulates.
Sodium molybdate (CAS 7631-95-0)	TWA	5 mg/m3	

Biological limit values No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates **Engineering controls** should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

For prolonged or repeated skin contact use suitable protective gloves. Suitable gloves can be Hand protection

recommended by the glove supplier.

Skin protection Wear suitable protective clothing.

If contact is likely, safety glasses with side shields are recommended. Eye wash fountain is Eye/face protection

recommended.

Radioactive or thermal

hazards

Follow standard monitoring procedures.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Viscous.

Colour Light. Blue green.

Mild. Odour

Odour threshold Not available.

pН

Melting point/freezing point -15 °C (5 °F)

Boiling point, initial boiling point, and boiling range

> 104.44 °C (> 220 °F)

Flash point Not available. **Auto-ignition temperature** Not applicable. Flammability (solid, gas) Not applicable. Flammability limit - lower (%) Not applicable. Flammability limit - upper (%) Not applicable. Not applicable. Vapour pressure

Vapour density

Evaporation rate Not available.

Relative density 1.1 - 1.4 g/cc (Water = 1)

Density Not available.

Solubility(ies)

100 % Solubility (water)

Couplant D SDS New Zealand Partition coefficient (n-octanol/water)

Not available.

Decomposition temperature

Not available.

Viscosity

60000 cps Brookfield

Other data

Explosive properties Not explosive. **Oxidising properties** Not oxidising.

VOC (Weight %) < 1.5 % (Calculated)

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Stability Material is stable under normal conditions.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

11. Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.

InhalationNo adverse effects due to inhalation are expected.Skin contactProlonged contact may cause dryness of the skin.Eye contactDirect contact with eyes may cause temporary irritation.

Components Species Test results

Propylene glycol (CAS 57-55-6)

Acute

Dermal

LD50 Rabbit 20800 mg/kg

Oral LD50

Rat 22000 mg/kg

Sodium molybdate (CAS 7631-95-0)

Acute

Dermal

LD50 Rat > 2000 mg/kg

Inhalation

LC50 Rat > 1930 mg/m3

Oral

LD50 Rat 4233 mg/kg

Routes of exposure Skin contact. Eye contact.

Symptoms

Direct contact with eyes may cause temporary irritation.

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

Direct contact with eyes may cause temporary irritation.

irritation

Respiratory sensitizer Not a respiratory sensitiser.

Skin sensitizer This product is not expected to cause skin sensitisation.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Toxic to reproductionThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity -

repeated exposure

No data available.

Aspiration hazard Not an aspiration hazard.

Chronic effects None known.

Couplant D SDS New Zealand

No data available. Relevant negative data

12. Ecological information

Ecotoxicological data

Components		Species	Test results
Propylene glycol (CAS	S 57-55-6)		
Aquatic			
Acute			
Algae	EC50	Selenastrum capricornutum	19000 mg/l, 72 hours
Crustacea	LC50	Ceriodaphnia	18340 mg/l, 48 hours
Fish	LC50	Pimephales promelas	46500 mg/l, 96 hours
Sodium molybdate (C	AS 7631-95-0)		
Aquatic			
Fish	LC50	Chinook salmon (Oncorhynchus tshawytscha)	> 1000 mg/l, 96 hours

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment. No data is available on the degradability of this product.

Persistence and degradability

Bioaccumulation

Partition coefficient n-octanol/water (log Kow)

> Propylene glycol (CAS 57-55-6) -0.92

Bioconcentration factor (BCF) Not available.

No data available for this product. **Mobility**

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other hazardous effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Dispose in accordance with all applicable regulations. **Special precautions**

14. Transport information

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not applicable.

the IBC Code

15. Regulatory information

Applicable regulations Sodium molybdate: HSNO: HSR004007

New Zealand Inventory of Chemicals (NZIoC): Registration status

Sodium molybdate (CAS 7631-95-0) **HSNO** Approved

16. Other information

References Not available.

Issued by

Evident Scientific Company name

Prepared by

Evident Scientific Title

Disclaimer Evident Scientific cannot anticipate all conditions under which this information and its product,

> or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information

in the sheet was written based on the best knowledge and experience currently available.

Issue date 19-January-2016 **Revision date** 22-November-2022

Couplant D SDS New Zealand